

Literaturliste - Bibliography

1.

Reis A, Totsch M, Shennib H, Ofner D, Serrick C, Jamjoom A, Chikhani N, Mikuz G, Margreiter R
Bronchoalveolar lavage: results of sequential, selective techniques in viable murines.
AmJ Respir Crit Care Med 1994; 150(2): 547-550

2.

Reis A, Giaid A, Serrick C, Shennib H
Improved outcome of rat lung transplantation with modification of the nonsuture external cuff technique
J Heart Lung Transplant 1995; 14(2): 274-279

3.

Shennib H, Serrick C, Saleh D, Reis A, Stewart DJ, Giaid A
Plasma endothelin-1 levels in human lung transplant recipients
J Cardiovasc Pharmacol 1995; 26(3): 516-518

4.

Serrick CJ, Jamjoom A, Reis A, Giaid A, Shennib H
Amelioration of pulmonary allograft injury by administering a second rinsesolution
J Thorac Cardiovasc Surg 1996; 112(4): 1010-1016

5.

Meiser BM, Kur F, Goller R, Reis A, Ueberfuhr R, Reichart B.
Successful rescue therapy by replacement of CsA with FK506 in heart and heart-lung transplanted patients.
Clin Pharmacol 1996; 6: 945-946

6.

Serrick C, Giaid A, Reis A, Shennib H
Prolonged ischemia is associated with more pronounced rejection in the lung allograft
Ann Thorac Surg 1997; 63(1): 202-208

7.

Reis A, Reinhard T, Godehardt E, Braunstein C, Sundmacher R
Mycophenolatmofetil und Cyclosporin A als Mono- und Kombinationstherapie nach allogener, orthotoper Hornhauttransplantation im Rattenmodell. Sitzungsberichte der 159. Versammlung des Vereins Rheinisch-Westfälischer Augenärzte
Zimmermann Druck und Verlag, 5983 Balve, 1997; 99-102

8.

Reis A, Reinhard T, Sundmacher R, Godehardt E, Braunstein S
Systemisches Mycophenolatmofetil als Mono- und Kombinationstherapie mit systemischem Cyclosporin A nach allogener perforierender Keratoplastik im Rattenmodell
Ophthalmologie 1997; 94, Supplement1: 142

9.

Reis A, Reinhard T, Sundmacher R, Godehard E, Braunstein C
Perforierende Keratoplastik im Rattenmodell: Vergleichende Untersuchung des
immunsuppressiven Effektes von Cyclosporin A (CSA), Mycophenolatemofetil (MMF), und
der Kombination CSA/MMF auf die Abstoßungsreaktion nach allogener, orthotoper
Hornhauttransplantation
Spektrum Augenheilkd 1998; 12/4: 137-139

10.

Reis A, Reinhard T, Sundmacher R, Godehard E, Braunstein C
Effect of mycophenolate mofetil, cyclosporin A and both in combination in a murine corneal
graft rejection model
Br J Ophthalmol 1998; 82: 700-703

11.

Reis A, Reinhard T, Sundmacher R, Godehard E, Braunstein C
A comparative investigation of the effect of FK506 and cyclosporin A in murine corneal
transplantation
Graefe's Arch Clin Exp Ophthalmol 1998; 236: 785-789

12.

Reis A, Althaus C, Sundmacher R
Latanoprost (Xalatan) induziertes Makulaödem
Klin Monatsbl Augenheilkd 1998; 213: 63-64

13.

Reis A, Reinhard T, Sundmacher R
Spontane Fistulation bei akutem Keratokonus
Spektrum Augenheilkd 1998; 12: 197-198

14.

Reis A, Reinhard T, Sundmacher R, Godehard E, Braunstein C
Die immunsuppressive Wirkung von Tacrolimus und Mycophenolatemofetil nach allogener
Hornhauttransplantation
Tx Med 1998; 10: 97-101

15.

Reis A, Reinhard T, Sundmacher R, Godehard E, Braunstein C
Mycophenolatemofetil and FK506: two novel immunosuppressants in murine corneal
transplantation
Transpl Proc 1998; 30: 4344-4347

16.

Reis A, Reinhard T, Sundmacher R, Althaus C, Voiculescu A, Kutkuhn B
Mycophenolatemofetil (CellCept) bei okulären immunologischen Störungen, Literaturübersicht
mit 3 Kasuistiken
Klin Monatsbl Augenheilkd 1998; 213(5): 257-61

17.

Reis A, Reinhard T

Spontane Fistulation bei akutem Keratokonus
Ophthalmologie 1998; 95, Supplement 1: 134

18.

Reis A, Reinhard T, Sundmacher R, Voiculescu A, Kutkuhn B
Prospektive, randomisierte, klinische Studie über Mycophenolate Mofetil (CellCept) zur
Verhinderung der akuten Abstoßungsreaktion nach Hochrisiko-Keratoplastik. Ophthalmologie
1998; 95, Supplement 1: 70

19.

Reinhard T, Reis A, Kutkuhn B, Sundmacher R
Mycophenolatmofetil nach perforierender Hochrisiko-Keratoplastik
Tx Med 1998, Supplement 63-64

20.

Reis A, Spelsberg H, Reinhard Th, Braunstein C, Godehardt E, Sundmacher R
Optimierte Immunsuppression durch präoperatives Mycophenolatmofetil
Tx Med 1998, Supplement 123-124

21.

Reis A, Spelsberg H, Reinhard T, Braunstein S, Godehardt E, Sundmacher R
Beneficial effect of preoperative mycophenolatmofetil in murine corneal transplantation
Transplant Int 1999; 12: 341-345

22.

Reinhard T, Reis A, Kuthkuhn B, Voiculescu A, Sundmacher R
Mycophenolatmofetil nach perforierender Hochrisiko-Keratoplastik – Eine Pilotstudie
Klin Monatsbl Augenheilkd 1999; 215: 201-202

23.

Reis A, Reinhard T, Voiculescu A, Kutkuhn B, Godehardt E, Spelsberg H, Althaus C,
Sundmacher R
CellCept Eine neue therapeutische Option nach perforierender Hochrisiko-Keratoplastik
Spektrum Augenheilkd 1999; 13: 185-189

24.

Reis A, Reinhard T, Voiculescu A, Kutkuhn B, Godehardt E, Spelsberg H, Althaus C,
Sundmacher R
Mycophenolatmofetil versus cyclosporin A in high-risk keratoplasty patients: A prospectively
randomized clinical trial
Br J Ophthalmol 1999; 83: 1268-1271

25.

Reis A, Reinhard T, Sundmacher R
Immunosuppressive agents in corneal transplantation
Tx Med 1999; 11: 279-283

26.

Reis A, M. Megahed, Reinhard T, Godehardt E, Braunstein S, Spelsberg H, Sundmacher R
SDZ RAD – Ein neues orales Rapamycin Analogon nach experimenteller

27.

Reis A, Reinhard T, Voiculescu A, Kutkuhn B, Godehardt E, Spelsberg H, Althaus C, Sundmacher R
Eine neue therapeutische Option nach perforierender Hochrisiko-Keratoplastik.
Sitzungsberichte der 161. Versammlung des Vereins Rheinisch-Westfälischer Augenärzte
Zimmermann Druck und Verlag, 5983 Balve, (2000)

28.

Reis A, Sundmacher R, Tintelnot K, Agostini H, Jensen H, Althaus C
Successful treatment of invasive ocular mould infection (fusariosis) with the new antifungal agent Voriconazol
Br J Ophthalmol 2000; 84, 932-933

29.

Reis A, Megahed M, Reinhard T, Godehardt E, Spelsberg H, Braunstein C, Sundmacher R
Coadministration of the new macrolide immunosuppressant RAD and mycophenolate mofetil in experimental corneal transplantation.
Transplantation 2000; 70 (9) 1397-1401

30.

Reis A, Reinhard T, Voiculescu A, Mayer K, Sundmacher R
Highly active antiviral and immunosuppressive therapy following keratoplasty in patients with herpetic eye disease
Klin Monatsbl Augenheilkd 2001; 218 (3): 183-186

31.

Reinhard T, Reis A, Böhringer D, Malinowski M, Voiculescu A, Heering P, Godehardt E, Sundmacher R
Systemic mycophenolate mofetil in comparison with systemic cyclosporin A in high-risk keratoplasty patients: 3 years' results of a randomized prospective clinical trial
Graefe's Arch Clin Exp Ophthalmol 2001; 239(5): 367-372

32.

Reis A, Megahed M, Reinhard T, Braunstein C, Godehardt E, Sundmacher R
RAD, a new immunosuppressive macrolide in murine corneal transplantation
Graefe's Arch Clin Exp Ophthalmol 2001; 239(9): 689-692

33.

Mayer K, Reinhard T, Reis A, Böhringer D, Sundmacher R
FK506 ointment 0,1% - A new therapeutic option for atopic blepharitis. Clinical trial with 14 patients
Klin Monatsbl Augenheilkd 2001; 218 (11): 733-736

34.

Reinhard T; Reis A; Bohringer D; Malinowski M; Voiculescu A; Heering P; Systemic mycophenolate mofetil in comparison with systemic cyclosporin A in high-risk keratoplasty patients: 3 years' results of a randomized prospective clinical trial.

Godehardt,-E; Sundmacher,-R

Graefes-Arch-Clin-Exp-Ophthalmol. 2001 Jun; 239(5): 367-72

35.

Reis,-A; Megahed,-M; Reinhard,-T; Braunstein,-C; Godehardt,-E; Sundmacher,-R
RAD, a new immunosuppressive macrolide in murine corneal transplantation.

Graefes-Arch-Clin-Exp-Ophthalmol. 2001 Sep; 239(9): 689-92

36.

Mayer,-K; Reinhard,-T; Reis,-A; Bohringer,-D; Sundmacher,-R

0,1 % FK 506-Salbe - Eine neue therapeutische Option bei der atopischen Blepharitis.

Klinische Studie an 14 Patienten.

[FK 506 ointment 0.1 % - A new therapeutic option for atopic blepharitis. Clinical trial with 14 patients]

Klin-Monatsbl-Augenheilkd. 2001 Nov; 218(11): 733-6

37.

Reis A, Megahed M, Reinhard T, Godehardt E, Braunstein C, Sundmacher R

Synergism of RAD and cyclosporin A in prevention of acute rat corneal allograft rejection

Cornea 2002; 21 (1), 81-84

38.

Reinhard R, Reis A, Mayweg S, Oberhuber H, Mathis G, Sundmacher R

Topical FK506 in inflammatory corneal and conjunctival diseases – A pilot study

Klin Monatsbl Augenheilkd 2002; 219 (3): 125-131

39.

Reis A; Megahed M; Reinhard T; Godehardt E; Braunstein C; Sundmacher R

Synergism of RAD and cyclosporin A in prevention of acute rat corneal allograft rejection.

Cornea. 2002 Jan; 21(1): 81-4

40.

Reinhard T; Reis A; Mayweg S; Oberhuber H; Mathis G; Sundmacher R

Lokales FK506 bei entzündlichen Erkrankungen von Hornhaut und Bindehaut--Eine Pilotstudie.

[Topical Fk506 in inflammatory corneal and conjunctival diseases. A pilot study.]

Klin-Monatsbl-Augenheilkd. 2002 Mar; 219(3): 125-31

41.

Reis A, Megahed M, Reinhard T, Godehardt E, Braunstein C, Sundmacher R.

Synergism of RAD and cyclosporin A in prevention of acute rat corneal allograft rejection
Cornea. 2002 Jan;21(1):81-4

42.

Reinhard T, Reis A, Mayweg S, Oberhuber H, Mathis G, Sundmacher R.
Topical Fk506 in inflammatory corneal and conjunctival diseases. A pilot study.] Klin
Monatsbl Augenheilkd. 2002 Mar;219(3):125-31

43.

Mayer K; Reinhard T; Reis A; Niehues T; Claas F-H; Sundmacher R
Differential contribution of natural killer cells to corneal graft rejection in 3-week-old versus
mature rats.
Transplantation. 2003 Aug 15; 76(3): 578-82

44.

Mayer K, Reinhard T, Reis A, Voiculescu A, Sundmacher R.
Synergistic antiherpetic effect of acyclovir and mycophenolate mofetil following keratoplasty
in patients with herpetic eye disease: first results of a randomised pilot study. Graefes Arch
Clin Exp Ophthalmol. 2003 Dec;241(12):1051-4

45.

Mayer K, Birnbaum F, Reinhard T, Reis A, Braunstein S, Claas F, Sundmacher R
FTY720 prolongs clear corneal allograft survival with a differential effect on different
lymphocyte populations.
Br J Ophthalmol. 2004 Jul;88(7):915-9.

46.

Mayweg S, Reinhard T, Spelsberg H, Reis A, Godehardt E, Sundmacher R
Ranking of systemic steroids after normal-risk keratoplasty. Results of a randomized
prospective study]
Ophthalmologie. 2005 May;102(5):497-501.

47.

Reinhard T, Mayweg S, Reis A, Sundmacher R.
Topical FK506 as immunoprophylaxis after allogeneic penetrating normal-risk keratoplasty: a
randomized clinical pilot study. Transpl Int. 2005 Feb;18(2):193-7.

48.

Reis A, Birnbaum F, Hansen LL, Reinhard T.
Cyclooxygenase-2 inhibitors: a new therapeutic option in the treatment of macular edema
after cataract surgery
J Cataract Refract Surg. 2005 Jul;31(7):1437-40.

49.

Birnbaum F, Reis A, Bohringer D, Sokolowska Y, Mayer K, Voiculescu A, Oellerich M,
Sundmacher R, Reinhard T.

An open prospective pilot study on the use of rapamycin after penetrating high-risk keratoplasty. *Transplantation*. 2006 Mar 15;81(5):767-72.

50.

Reis A, Birnbaum F, Hansen LL, Reinhard T.
Successful treatment of cystoid macular edema with valdecoxib
J Cataract Refract Surg. 2007

51.

Topical immunosuppressives after penetrating keratoplasty
Birnbaum F, Reis A, Reinhard T.
Ophthalmologie. 2007 May;104(5):381-7. Review.

52.

Systemic immunosuppressives after penetrating keratoplasty
Reis A, Birnbaum F, Reinhard T.
Ophthalmologie. 2007 May;104(5):373-80. Review.

53.

Immune suppression following perforating keratoplasty
Birnbaum F, Reis A, Reinhard T.
Ophthalmologie. 2007 May;104(5):371-2.

54.

Basiliximab following penetrating risk-keratoplasty--a prospective randomized pilot study
Birnbaum F, Jehle T, Schwartzkopff J, Sokolovska Y, Böhringer D, Reis A, Reinhard T.
Klin Monbl Augenheilkd. 2008 Jan;225(1):62-5.

55.

Long-term results of FK 506 eye drops following corneal transplantation
Reis A, Mayweg S, Birnbaum F, Reinhard T.
Klin Monbl Augenheilkd. 2008 Jan;225(1):57-61.

56.

Mycophenolate mofetil (MMF) following penetrating high-risk keratoplasty: long-term results of a prospective, randomised, multicentre study.
Birnbaum F, Mayweg S, Reis A, Böhringer D, Seitz B, Engelmann K, Messmer EM, Reinhard T. *Eye (Lond)*. 2009 Nov;23(11):2063-70.

57.

Long term use of topical tacrolimus (FK506) in high-risk penetrating keratoplasty.
Birnbaum F, Reis A, Reinhard T.
Cornea. 2009 Jul;28(6):715-6; author reply 716.

58.

Comment on Dhaliwal JS, Mason BF, Kaufman SC. Long term use of topical tacrolimus (FK506) in high-risk penetrating keratoplasty. *Cornea*. 2008;27:488-493.

Birnbaum F, Reis A, Reinhard T.
Cornea. 2009 May 30.

59.

Prevention of myopia acquisition in children and young adults using reading glasses

Reis A

United States Patent No.: US 8,511,819 B2, Aug. 20, 2013

60.

Atovaquone: A valuable therapeutic option in toxoplasma retinochorioiditis

Reis A, Valmaggia C, Tandogan T, Rippel K, Girmann O

J Clin Exp Ophthalmol 2015, 6:2

61.

Photorefractive Flash Device and System

Reis A

United States Patent Application No.: 16/101,344, Art Unit: 2872, 2019